



Steelex

PRECISIONS PVT LTD



WE ARE COMMITTED TO “TRANSFORMING TOMORROW”



Two Decades of
Expertise in Steel



Steelex Coil
Processing Services



State-of-the-art
latest technology



ABOUT **STEELEX**

Established in 1997, Steelex Precisions Private Limited has been dealing in ferrous and non-ferrous metals for two decades now. Guided by the philosophy of providing safe, sustainable and quality products, we orchestrate a diversified portfolio of businesses. These include the supply of CRCA, CRNO, GI, GA, PPGI, HRPO, SS in precise sizes of sheets and perfectly made slit coils.

We also provide specialized processing services for Slitting, Shearing, Blanking and Cut-to-Length operations at Steelex Coil Processing Centre in Khopoli.

STEELEX **PROCESSING CENTER**

We at Steelex are dedicated to serving our customers with high end processed steel. Our processing facilities are equipped with the world class machineries to provide high quality CRCA, CRNO, GI, GA, PPGI, HRPO, SS sheets and coils. Our centres have sufficient production capacity to cater to the regular and urgent needs of our clients.

SERVICES

- Cut-to-Length
- Slitting
- Shearing



CUT TO LENGTH LINE SPECIFICATIONS

No	Parameters	Unit	Range
1	Material		CRCA, CRNO, GI, GA, PPGI, HRPO, SS
2	Yield Strength	MPa	550
3	Tensile Strength	MPa	650
4	Thickness Range	mm	0.5-3.2
5	Width Range	mm	300-1600
6	Coil Weight	ton	30 (max)
7	Coil Inner Diameter	mm	Φ508-Φ610
8	Coil Outer Diameter	mm	Φ2000
9	Length Range	mm	500-6000
10	Length Accuracy	mm/m	±0.5
11	Diagnol Accuracy	mm/m	±0.5



SLITTING LINE SPECIFICATIONS

ENTRY PARAMETERS

No	Parameters	Unit	Range
1	Material		CRCA, CRNO, GI, GA, PPGI, HRPO, SS
2	Yield Strength	MPa	550
3	Tensile Strength	MPa	650
4	Thickness Range	mm	0.5-3.2
5	Width Range	mm	500-1600
6	Coil Weight	ton	30 (max)
7	Coil Inner Diameter	mm	Φ508-Φ610
8	Coil Outer Diameter	mm	Φ2000

EXIT PARAMETERS

No	Parameters	Unit	Range
1	Coil Inner Diameter	mm	Φ508
2	Coil Outer Diameter	mm	Φ2000
3	Slitting Accuracy	mm	±0.2
4	Trimming Width	mm	3-15

“We delight in delivering extreme precision and providing customized processing services”



FEATURES OF STEELEX SERVICE CENTER

- Automatic stacking with air blowers
- Line speed 150m/min for Slitting Line
- Line speed 120m/min for Cut to Length Line
- Processing capacity 15,000 MT per month
- PVC coating one side and both side available
- 6-Hi Multi Levelers
- In-house Weigh Bridge



THE LOCATION



Our processing centre is located at Khopoli which is a booming industrial town in the Indian state of Maharashtra. Our centre's proximity to the National Highway gives us a competitive edge in terms of:



Just-in-Time Delivery



Lower Logistics Costs



Low Storage & Inventory Costs



CORPORATE OFFICE:

9012, Ozone Biz Center, Bellasis Road, Mumbai Central (E), Mumbai-400 008.

Phone: +91-22-2305 2346 / 47 | Email: info@steelex.net.in

PROCESSING CENTER:

Village Vanvathe, Taluka-Khalapur, Khopoli Pen Road, District Raigad-410 203.

www.steelex.net.in

DISCLAIMER: The images, specifications and other details herein are only for indicative purpose. This printed material does not constitute any offer and/or contract of any type.